



To verify product certification, visit [www.ipema.org](http://www.ipema.org)

**ISSUE DATE: 5/11/17 -**

In the interest of public playground safety, IPEMA provides a third-party certification service whereby TÜV SÜD America validates a manufacturer's certification of conformance to the ASTM F1292-13, Standard Specification for Impact Attenuation of Surface Systems Under and Around Playground Equipment Standard, except Section 15.

The manufacturer listed below has received written validation from TÜV SÜD America that the products listed below conform with the requirements of ASTM F1292-13, except Section 15.

**The product(s) listed below was/were tested at a specific drop height listed below as requested by the Participant, based upon their experience and knowledge of their product, instead of the "critical fall height" as outlined in Section 15.**

**MANUFACTURER**

No Fault Sport Group, LLC  
3112 Valley Creek Drive  
Baton Rouge, LA 70808



PRODUCT NBR	PRODUCT LINE	THICKNESS/ DROP HEIGHT	DESCRIPTION
PIP 1.75	No Fault Safety Surface	1.75" / 4'	Poured-in-Place Rubber Surface
PIP 2.25	No Fault Safety Surface	2.25" / 5'	Poured-in-Place Rubber Surface
PIP 2.5	No Fault Safety Surface	2.5" / 6'	Poured-in-Place Rubber Surface
PIP 3	No Fault Safety Surface	3" / 7'	Poured-in-Place Rubber Surface
PIP 3.5	No Fault Safety Surface	3.5" / 8'	Poured-in-Place Rubber Surface
PIP 4.5	No Fault Safety Surface	4.5" / 9'	Traditional poured-in-place safety surface
PIP 5	No Fault Safety Surface	5" / 10'	Poured-in-Place Rubber Surface
PIP 6.5	No Fault Safety Surface	6.5" / 12'	Traditional Poured-in-Place Rubber Safety Surface

You may verify this certificate by visiting IPEMA's website at <http://ipema.org>

